

Clip-Grip Hose Clamp, screwable

Screwable clamp for attaching all hose types from the Master-Clip series to mobile and stationary systems

Product Details

Construction / Material

- Specification of the connection solution: largely tension-resistant and largely leak-proof connection due to bridge profiles
- Clamp Design: clamp with housing, worm thread and clamping screw, clamping screw in sizes M5-M10 designed as slotted hexagon screw, clamp band with single or multiple bridges, spot welded bridge
- Material of the clamp: material grade W2

Properties

- Chemical Properties: rust-protected
- Other: easy to assemble

Article Variants

Article number	DN of the hose in mm	Clamping range in mm	suitable for / as
001487	40/45	35 / 55	for Master-Clip hoses in DN 40/45
001489	50/55	45 / 65	for Master-Clip hoses in DN 50/55
001491	60/65	55 / 75	for Master-Clip hoses in DN 60/65
001493	70/75	65 / 85	for Master-Clip hoses in DN 70/75
001495	80	75 / 95	for Master-Clip hoses in DN 80
001497	90	85 / 105	for Master-Clip hoses in DN 90
001499	100	95 / 115	for Master-Clip hoses in DN 100
001503	110/115	105 / 125	for Master-Clip hoses in DN 110/115
001506	120/125	115 / 135	for Master-Clip hoses in DN 120/125
001508	130	125 / 145	for Master-Clip hoses in DN 130
001510	140	135 / 155	for Master-Clip hoses in DN 140
001512	150	145 / 165	for Master-Clip hoses in DN 150

Article number	DN of the hose in mm	Clamping range in mm	suitable for / as
001514	160	155 / 175	for Master-Clip hoses in DN 160
001517	170/175	165 / 185	for Master-Clip hoses in DN 170/175
001519	180	175 / 195	for Master-Clip hoses in DN 180
001522	200	195 / 215	for Master-Clip hoses in DN 200
001525	215	205 / 225	for Master-Clip hoses in DN 215
001527	225	215 / 235	for Master-Clip hoses in DN 225
001529	250	245 / 265	for Master-Clip hoses in DN 250
001533	275	265 / 285	for Master-Clip hoses in DN 275
001535	280	275 / 295	for Master-Clip hoses in DN 280
001537	300	295 / 315	for Master-Clip hoses in DN 300
001539	315	305 / 325	for Master-Clip hoses in DN 315
001541	325	315 / 335	for Master-Clip hoses in DN 325
001543	350	345 / 365	for Master-Clip hoses in DN 350
001546	375	365 / 385	for Master-Clip hoses in DN 375
001548	400	395 / 415	for Master-Clip hoses in DN 400
001552	450	445 / 465	for Master-Clip hoses in DN 450
001554	500	495 / 515	for Master-Clip hoses in DN 500
001557	550	545 / 565	for Master-Clip hoses in DN 550
001561	600	595 / 615	for Master-Clip hoses in DN 600
001564	700	695 / 715	for Master-Clip hoses in DN 700
001568	800	795 / 815	for Master-Clip hoses in DN 800
001570	900	895 / 915	for Master-Clip hoses in DN 900

Subject to technical changes and colour deviations

Delivery Variants

Available in other lengths, other nominal diameters, with customer-specific customer-specific imprint.

Disposal instructions

After use, the product must be disposed of in accordance with the legal regulations applicable in the user's region (in Germany in accordance with the applicable Waste Catalogue Ordinance (AVV)).



Individual consultation

We offer consultation by phone: **+49 209 97077 0**

Product requests via: **https://www.masterflex-slang.nl/**

Headquarters for your sales area

Masterflex SE

Willy-Brandt-Allee 300
45891 Gelsenkirchen
Germany