





PU Hose Sleeve

Reusable special sleeve for connection of spiral hoses from the Masterflex SE hose range, for use with clamp collars

Product Details

Construction / Material

- design of the cuff: high mechanical strength and impact resistance, made of abrasion resistant material
- material of the cuff: Polyurethane

Properties

- Chemical Properties: microbe-resistant
- Colour: black

Operating Temperature

- Temperature Range: -40to 90°C
- short-term maximum temperature: peaks to 125 °C

Delivery Information

- Delivery, type of production: various nominal diameters are available ex production, individual nominal diameters also ex stock

Article Variants

Article number	DN of the hose in mm	suitable for / as	Length (h1) in mm	Outer Ø of the screw range (d3) in mm
001331	38	hoses in version L	25	59
006122	51	hoses in version L	37	67
001342	65	hoses in version L	43	87
001351	80	hoses in version L	43	102
001355	102	hoses in version L	80	118
001360	127	hoses in version L	115	147
001364	152	hoses in version L	133	173

Article number	DN of the hose in mm	suitable for / as	Length (h1) in mm	Outer Ø of the screw range (d3) in mm
001329	38	hoses in version H	25	59
001335	51	hoses in version H	37	67
001340	65	hoses in version H	43	87
001344	75	hoses in version H	43	101
001348	80	hoses in version H	43	101
001352	102	hoses in version H	80	118
/	127	hoses in version H	115	147
007296	152	hoses in version H	133	173
/	203	hoses in version H	180	239
001336	51	hoses in version HX	no data	/
001345	76	hoses in version HX	43	101
001349	80	hoses in version HX	43	102
001353	102	hoses in version HX	80	130
001367	203	hoses in version HX	180	239
001330	38	hoses in version Inline	25	60
001333	40	hoses in version Inline	25	61
001337	51	hoses in version Inline	37	70
001341	65	hoses in version Inline	43	86
001350	80	hoses in version Inline	43	101
001359	127	hoses in version Inline	no data	/
001363	152	hoses in version Inline	133	180
001368	203	hoses in version Inline	180	239
001332	38	hoses in version Performance	25	60
001334	40	hoses in version Performance	25	61
001339	51	hoses in version Performance	37	70
001343	65	hoses in version Performance	43	86
001347	76	hoses in version Performance	43	101
001356	102	hoses in version Performance	80	128
001361	127	hoses in version Performance	115	154
001365	152	hoses in version Performance	133	180
012733	152	hoses in version HX	33	182

Subject to technical changes and colour deviations

Delivery Variants

Available in other lengths, other nominal diameters, with customer-specific customer-specific imprint.

Disposal instructions

After use, the product must be disposed of in accordance with the legal regulations applicable in the user's region (in Germany in accordance with the applicable Waste Catalogue Ordinance (AVV)).



Individual consultation

We offer consultation by phone: **+49 209 97077 0**

Product requests via: **https://www.masterflex-slang.nl/**

Headquarters for your sales area

Masterflex SE

Willy-Brandt-Allee 300
45891 Gelsenkirchen
Germany